ELSEVIER

Developmental Brain Research 139 (2002) 343–344

DEVELOPMENTAL BRAIN RESEARCH

www.elsevier.com/locate/devbrainres

Author Index

Adams, C.E., Broide, R.S., Chen, Y., Winzer-Serhan, U.H., Henderson, T.A., Leslie, F.M. and Freedman, R.
Development of the α7 nicotinic cholinergic receptor in rat hippocampal formation (139) 175
Al-Sarraf, H.
Transport of ^{14}C-γ-aminobutyric acid into brain, cerebrospinal fluid and choroid plexus in neonatal and adult rats (139) 121
Amsel, A., see Nixon, K. (139) 295
Andersen, D.L., Eckert, A.L., Tsai, V.W.-W., Burke, C.J., Tannenberg, A.E.G. and Dodd, P.R.
$GABA_A$ receptor sites in the developing human foetus (139) 107
Arias, M.S., Baratta, J., Yu, J. and Robertson, R.T.
Absence of selectivity in the loss of neurons from the developing cortical subplate of the rat (139) 331
Armstead, W.M.
Age dependent NMDA contribution to impaired hypotensive cerebral hemodynamics following brain injury (139) 19
Ashworth, R. and Bolsover, S.R.
Spontaneous activity-independent intracellular calcium signals in the developing spinal cord of the zebrafish embryo (139) 131

Baratta, J., see Arias, M.S. (139) 331
Bedi, K.S., see Li, H.-P. (139) 159
Bichenkov, E. and Ellingson, J.S.
Protein kinase C inhibitors counteract the ethanol effects on myelin basic protein expression in differentiating CG-4 oligodendrocytes (139) 29
Bolsover, S.R., see Ashworth, R. (139) 131
Bosco, A., see Cusato, K. (139) 325
Broide, R.S., see Adams, C.E. (139) 175
Bruzzone, F., see Mathieu, M. (139) 255
Burke, C.J., see Andersen, D.L. (139) 107

Cadonic, R., see Zhang, Y.-H. (139) 205
Cao, R., see Wei, L.-C. (139) 9
Caston, J., see Patin, V. (139) 1
Cha, B.-H., see Silveira, D.C. (139) 277
Chan, Y.S., see Wei, L.-C. (139) 9
Chen, L.-W., see Wei, L.-C. (139) 9
Chen, Y., see Adams, C.E. (139) 175
Cho, G.J., see Kim, H.J. (139) 247
Choi, W.S., see Kim, H.J. (139) 247
Cusato, K., Bosco, A., Linden, R. and Reese, B.E.
Cell death in the inner nuclear layer of the retina is modulated by BDNF (139) 325

Dall Bello Pessutto, F., see Funchal, C. (139) 267
de Almeida, L.M.V., see Funchal, C. (139) 267
Dechesne, C.J., see Puyal, J. (139) 51
de Kloet, E.R., see Schmidt, M. (139) 39
de Lima Pelaez, P., see Funchal, C. (139) 267
Demêmes, D., see Puyal, J. (139) 51
Diorio, J., see Laplante, P. (139) 199
Dodd, P.R., see Andersen, D.L. (139) 107
Douglas Shytle, R., see Newman, M.B. (139) 73
Druse, M.J., see Eriksen, J.L. (139) 97

Eckert, A.L., see Andersen, D.L. (139) 107
Elam, J.S., see Su, Y.-K. (139) 319
Ellingson, J.S., see Bichenkov, E. (139) 29
Eriksen, J.L., Gillespie, R. and Druse, M.J.
Effects of ethanol and 5-HT_{1A} agonists on astroglial S100B (139) 97

Freedman, R., see Adams, C.E. (139) 175
Fukuda, A., see Wang, C. (139) 59
Funchal, C., de Lima Pelaez, P., Loureiro, S.O., Vivian, L., Dall Bello Pessutto, F., de Almeida, L.M.V., Tchernin Wofchuk, S., Wajner, M. and Pessoa Pureur, R.
α-Ketoisocaproic acid regulates phosphorylation of intermediate filaments in postnatal rat cortical slices through ionotropic glutamatergic receptors (139) 267

Gillespie, R., see Eriksen, J.L. (139) 97
Gonzalez, D., see Li, H.-P. (139) 159
Greenfield, S.A., see Whyte, K.A. (139) 189
Gu, H., see Li, H.-P. (139) 159
Guilarte, T.R., see Toscano, C.D. (139) 217

Hakim, A., see Zhang, Y.-H. (139) 205
Hashemzadeh-Gargari, H., see Toscano, C.D. (139) 217
Henderson, T.A., see Adams, C.E. (139) 175
Herman, M.M., see Webster, M.J. (139) 139
Holmes, G.L., see Silveira, D.C. (139) 277
Honma, S., Varathan, V. and Wakisaka, S.
Postnatal development of synaptic inputs to rat masseter motoneurons (139) 67
Hughes, P.D., see Nixon, K. (139) 295
Hume, K., see Zhang, Y.-H. (139) 205

Kang, S.S., see Kim, H.J. (139) 247
Kesterson, K.L., Lane, R.D. and Rhoades, R.W.
Effects of elevated serotonin levels on patterns of GAP-43 expression during barrel development in rat somatosensory cortex (139) 167
Kim, H.J., Park, C.H., Roh, G.S., Kang, S.S., Cho, G.J. and Choi, W.S.
Changes of steroidogenic acute regulatory protein mRNA expression in postnatal rat development (139) 247
Kleinman, J.E., see Webster, M.J. (139) 139
Kuma, H., see Li, H.-P. (139) 159
Kuo, Y.-P., see Newman, M.B. (139) 73

Lane, R.D., see Kesterson, K.L. (139) 167
Laplante, P., Diorio, J. and Meaney, M.J.
Serotonin regulates hippocampal glucocorticoid receptor expression via a 5-HT7 receptor (139) 199
Leslie, F.M., see Adams, C.E. (139) 175
Leslie, S.W., see Nixon, K. (139) 295
Levine, S., see Schmidt, M. (139) 39
Li, H.-P., Miki, T., Gu, H., Satriotomo, I., Mastumoto, Y., Kuma, H., Gonzalez, D., Bedi, K.S., Suwaki, H. and Takeuchi, Y.
The effect of the timing of prenatal X-irradiation on Purkinje cell numbers in rat cerebellum (139) 159
Li, Z., Miller, M.W. and Luo, J.
Effects of prenatal exposure to ethanol on the cyclin-dependent kinase system in the developing rat cerebellum (139) 237
Linden, R., see Cusato, K. (139) 325
Lopez-Garcia, C., see Nacher, J. (139) 285
Lordi, B., see Patin, V. (139) 1
Loureiro, S.O., see Funchal, C. (139) 267
Lukas, R.J., see Newman, M.B. (139) 73
Luo, J., see Li, Z. (139) 237

Mastumoto, Y., see Li, H.-P. (139) 159
Mathieu, M., Tagliafierro, G., Bruzzone, F.

0165-3806/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0165-3806(02)00598-9

and Vallarino, M.
Neuropeptide tyrosine-like immunoreactive system in the brain, olfactory organ and retina of the zebrafish, *Danio rerio*, during development (139) 255
Matsuzaki, H., see Wang, C. (139) 59
McCarthy, M.M., see Mong, J.A. (139) 151
McDougall, S.A., see Zavala, A.R. (139) 301
McGlothan, J.L., see Toscano, C.D. (139) 217
McGrogan, M.P., see Newman, M.B. (139) 73
Meador-Woodruff, J.H., see Ritter, L.M. (139) 227
Meaney, M.J., see Laplante, P. (139) 199
Miki, T., see Li, H.-P. (139) 159
Miller, M.W., see Li, Z. (139) 237
Molowny, A., see Nacher, J. (139) 285
Mong, J.A. and McCarthy, M.M.
Ontogeny of sexually dimorphic astrocytes in the neonatal rat arcuate (139) 151
Mori, N., see Wang, C. (139) 59
Morley, B.J. and Simmons, D.D.
Developmental mRNA expression of the α10 nicotinic acetylcholine receptor subunit in the rat cochlea (139) 87

Nacher, J., Soriano, S., Varea, E., Molowny, A., Ponsoda, X. and Lopez-Garcia, C.
CRMP-4 expression in the adult cerebral cortex and other telencephalic areas of the lizard *Podarcis hispanica* (139) 285
Nasution, F.H., Toda, K. and Soma, K.
Functional maturation of periodontal mechanoreceptors during development in rats (139) 307
Newman, M.B., Kuo, Y.-P., Lukas, R.J., Sanberg, P.R., Douglas Shytle, R., McGrogan, M.P. and Zigova, T.
Nicotinic acetylcholine receptors on NT2 precursor cells and hNT (NT2-N) neurons (139) 73
Nixon, K., Hughes, P.D., Amsel, A. and Leslie, S.W.
NMDA receptor subunit expression following early postnatal exposure to ethanol (139) 295

Ogawa, T., see Wang, C. (139) 59
Oitzl, M.S., see Schmidt, M. (139) 39
Okabe, A., see Wang, C. (139) 59
Osburn, J.R., see Zavala, A.R. (139) 301

Park, C.H., see Kim, H.J. (139) 247
Patin, V., Lordi, B., Vincent, A., Thoumas, J.L., Vaudry, H. and Caston, J.
Effects of prenatal stress on maternal behavior in the rat (139) 1
Pessoa Pureur, R., see Funchal, C. (139) 267
Ponsoda, X., see Nacher, J. (139) 285
Puyal, J., Sage, C., Demêmes, D. and Dechesne, C.J.
Distribution of α-amino-3-hydroxy-5-methyl-4 isoazolepropionic acid and *N*-methyl-D-aspartate receptor subunits in the vestibular and spiral ganglia of the mouse during early development (139) 51

Reese, B.E., see Cusato, K. (139) 325
Rhoades, R.W., see Kesterson, K.L. (139) 167
Ritter, L.M., Vazquez, D.M. and Meador-Woodruff, J.H.
Ontogeny of ionotropic glutamate receptor subunit expression in the rat hippocampus (139) 227
Robertson, R.T., see Arias, M.S. (139) 331
Roh, G.S., see Kim, H.J. (139) 247

Sabourin, L.A., see Zhang, Y.-H. (139) 205
Sage, C., see Puyal, J. (139) 51
Sanberg, P.R., see Newman, M.B. (139) 73
Sato, K., see Wang, C. (139) 59
Satriotomo, I., see Li, H.-P. (139) 159
Schmidt, M., Oitzl, M.S., Levine, S. and de Kloet, E.R.
The HPA system during the postnatal development of CD1 mice and the effects of maternal deprivation (139) 39
Shi, M., see Wei, L.-C. (139) 9
Shieh, J.-Y., see Wang, C.-C. (139) 337
Shimizu-Okabe, C., see Wang, C. (139) 59
Silveira, D.C., Cha, B.-H. and Holmes, G.L.
Effects of lesions of basal forebrain cholinergic neurons in newborn rats on susceptibility to seizures (139) 277
Simmons, D.D., see Morley, B.J. (139) 87
Soma, K., see Nasution, F.H. (139) 307
Soriano, S., see Nacher, J. (139) 285
Staines, W., see Zhang, Y.-H. (139) 205
Su, Y.-K. and Elam, J.S.
Differential growth of goldfish retinal explants on regenerating and non-regenerating optic tract membranes (139) 319
Suwaki, H., see Li, H.-P. (139) 159

Tagliafierro, G., see Mathieu, M. (139) 255
Takeuchi, Y., see Li, H.-P. (139) 159
Tannenberg, A.E.G., see Andersen, D.L. (139) 107
Tchernin Wofchuk, S., see Funchal, C. (139) 267
Thompson, C., see Zhang, Y.-H. (139) 205
Thoumas, J.L., see Patin, V. (139) 1
Toda, K., see Nasution, F.H. (139) 307
Toscano, C.D., Hashemzadeh-Gargari, H., McGlothan, J.L. and Guilarte, T.R.
Developmental Pb^{2+} exposure alters NMDAR subtypes and reduces CREB phosphorylation in the rat brain (139) 217
Tsai, V.W.-W., see Andersen, D.L. (139) 107

Ulfig, N.
The ganglionic eminence – a putative intermediate target of amygdaloid connections (139) 313

Vallarino, M., see Mathieu, M. (139) 255
Varathan, V., see Honma, S. (139) 67
Varea, E., see Nacher, J. (139) 285
Vaudry, H., see Patin, V. (139) 1
Vazquez, D.M., see Ritter, L.M. (139) 227
Vincent, A., see Patin, V. (139) 1
Vivian, L., see Funchal, C. (139) 267

Wajner, M., see Funchal, C. (139) 267
Wakisaka, S., see Honma, S. (139) 67
Wang, C., Shimizu-Okabe, C., Watanabe, K., Okabe, A., Matsuzaki, H., Ogawa, T., Mori, N., Fukuda, A. and Sato, K.
Developmental changes in KCC1, KCC2, and NKCC1 mRNA expressions in the rat brain (139) 59
Wang, C.-C., Wu, C.-H., Shieh, J.-Y. and Wen, C.-Y.
Microglial distribution and apoptosis in fetal rat brain (139) 337
Watanabe, K., see Wang, C. (139) 59
Webster, M.J., Weickert, C.S., Herman, M.M. and Kleinman, J.E.
BDNF mRNA expression during postnatal development, maturation and aging of the human prefrontal cortex (139) 139
Wei, L.-C., Shi, M., Chen, L.-W., Cao, R., Zhang, P. and Chan, Y.S.
Nestin-containing cells express glial fibrillary acidic protein in the proliferative regions of central nervous system of postnatal developing and adult mice (139) 9
Weickert, C.S., see Webster, M.J. (139) 139
Wen, C.-Y., see Wang, C.-C. (139) 337
Whyte, K.A. and Greenfield, S.A.
Expression of voltage-dependent calcium channels in the embryonic rat midbrain (139) 189
Winzer-Serhan, U.H., see Adams, C.E. (139) 175
Wu, C.-H., see Wang, C.-C. (139) 337

Yoshida, S.T., see Zavala, A.R. (139) 301
Yu, J., see Arias, M.S. (139) 331

Zavala, A.R., Yoshida, S.T., Osburn, J.R. and McDougall, S.A.
Paradoxical locomotor activating effects of κ-opioid receptor stimulation in the preweanling rat. Role of the ventromedial thalamus and superior colliculus (139) 301
Zhang, P., see Wei, L.-C. (139) 9
Zhang, Y.-H., Hume, K., Cadonic, R., Thompson, C., Hakim, A., Staines, W. and Sabourin, L.A.
Expression of the Ste20-like kinase SLK during embryonic development and in the murine adult central nervous system (139) 205
Zigova, T., see Newman, M.B. (139) 73